## To contents page

## 3: GLOBULAR JARS WITH DISHED RIM AND USUALLY RILLING ON GIRTH

```
Ardleigh, CM 91.1956 [1226].
  Kelvedon [1479].
                                                      -S
  Braughing 1972, small example (not illus.).
3
                                                       -S
  Prae Wood group A, Wheeler's no.7.
                                                       2S
        LIV Black Earth, [497].
                                                       AD5-40/45 •
        LIV 2nd Grey Clay [521].
                                                       AD5-40/45 •
        LVIa Grey Clay [608].
                                                      AD5-40/45 •
        group B [305], [306].
                                                       AD5-40/45 •
        II [1246].
                                                       AD5-40/45 •
        LIIIa Grey Clay & Sand [455].
                                                      post-43
        LVII Grey Clay & Sand [484], [493].
                                                      post-43
        XXII [936].
                                                       AD30-50
        D.1 [863].
                                                      AD30-50
        Hearth 1 [931].
                                                       AD30-50
        unmarked [370].
                                                       -S
                                                       AD43-55
   St Albans, Insula XVII nos. 22, 26-29, group 1.
         Street
                 site G, below cobbled floor,
                 Antonine samian.
                                                       3S
                                                                 0
```

## Notes

This is rare except in the vicinity of Prae Wood, where there are many examples in the features belonging to Wheeler's groups B, C, and D, C.AD5-50. It must have been made there; it is one of the commonest forms, and only a few are included here. A certain typological development is visible from the group A specimen and those at the bottom of the enclosure A ditch to the large globular examples in the later deposits; these have a more Roman than native appearance.





